

INDEX

Note: Italicized page locators refer to figures or tables in exhibits.

- AAFP. *See* American Academy of Family Physicians
- Abstractor bias, 165
- ACA. *See* Affordable Care Act
- Accountable care organizations, 293, 297, 309
- Acellular pertussis vaccines, 78, 79
- ACHI. *See* Association for Community Health Improvement
- ACIP. *See* Advisory Committee on Immunization Practices
- ACOs. *See* Accountable care organizations
- ACS. *See* American Community Survey
- Active immunity, 174
- Active sentinel surveillance, 43
- Active surveillance: advantages/disadvantages and examples of, 38; defined, 37, 52
- Adams, John, 5
- Adjusted rates, 146; defined, 143; direct method, 143; indirect method, 143–44; working with, 144–45
- Advancing Healthier Wisconsin, 18
- Advisory Committee on Immunization Practices, 70, 76, 78
- Affordable Care Act, 276, 308; community benefit standard and, 246, 248; community health needs assessments and, 271, 281; health exchanges and, 294, 297; managerial epidemiology and, 258
- African American women: maternal and infant health and, 15
- Age: incidence of pediatric pertussis by, California, 2014, 82
- Agency for Healthcare Research and Quality, 118, 126
- Agents, 176; defined, 174, 209; in epidemiologic triangle, 174, 175, 209; forms of, 175

- Age-specific rates, 146; defined, 140; formula for, 140
- AHA. *See* American Hospital Association
- Alaska natives: cancer registry data and, 106
- AMA. *See* American Medical Association
- American Academy of Family Physicians, 292, 293
- American Academy of Pediatrics, 78, 292
- American College of Physicians, 292
- American Community Survey, 103, 125
- American FactFinder website, 103
- American Hospital Association, 308; data available through, 118, 126; mission and website of, 22
- American Indians: cancer registry data and, 106
- American Medical Association, 256, 317
- American Osteopathic Association, 292
- American Public Health Association, 317; mission and website of, 22
- American Telemedicine Association, 294
- Analogy: Hill's criteria and, 167, 169
- Analytic epidemiology, 58, 166; defined, 134, 145; hypotheses in, 151; key question answered by, 151, 168; London cholera epidemic and, 59
- Analytic epidemiology study designs, 150–69; bias and confounding, 164–66; case-control studies, 152–56; cohort studies, 157–61; experimental studies, 162–64; Hill's criteria, 166–67; identifying types of, 167; types of, 151
- Animals: as sentinels, 43
- Anopheles* mosquito: malaria and, 34
- Anthropologic view: in population health approach, 257
- Antibiotics, 44, 275
- Antimicrobial resistance, 15
- Antivirals, 44
- APEXPH. *See* Assessment Protocol for Excellence in Public Health
- APHA. *See* American Public Health Association
- Application to control: epidemiology and, 30
- Arboviruses: sentinel surveillance and, 43
- Arthropods, 175
- Assessment, 7, 8, 233; defined, 6; of workplace health, 110
- Assessment Protocol for Excellence in Public Health, 236, 237, 239
- Association for Community Health Improvement: mission and website of, 22
- Association of State and Territorial Health Officials, 317
- Assurance, 6, 7, 8, 233
- Asthma: CDC FastStats data for, 114
- Athlete's foot, 175
- Attack rate, 177, 209
- Avian influenza, 30; H7N9, 35; A (H5N1), 35
- Bacteria, 175
- Bar graph: epidemiologic data presented in, 32, 32
- BBC Health News, 317
- BD2K. *See* Big Data to Knowledge (BD2K)
- Behavioral Risk Factor Surveillance System, 104, 125, 244, 253; establishment of and research initiatives tied to, 104; interactive map data, using, 105
- Believe in a Healthy Community* (New Hampshire): reviewing, 87–88
- Beneficence, 152

- Bias: defined, 164; information, 165, 169; selection, 165–66, 169
- Big data, 304, 305
- Big Data to Knowledge (BD2K), 304
- Bioethics Commission, 152
- Biological plausibility: Hill's criteria and, 167, 169
- Bioterrorism, 62
- “Bird flu” viruses, 35. *See also* Avian influenza
- Birth data, 96; accessing, 97; for the United States, 2012, 96
- Birth rates: calculating, 96
- Blinding (or masking), 162–63, 169
- BLS. *See* Bureau of Labor Statistics
- Blue Cross & Blue Shield United of Wisconsin, 18
- Boards of health: early, 5
- Borrelia burgdorferi* bacterium: Lyme disease and, 67
- Boston Public Health Commission, 317
- Boston University School of Public Health, 317
- Bourbon virus, 195–96
- BRFSS. *See* Behavioral Risk Factor Surveillance System
- Burden of illness pyramid, 39, 39
- Bureau of Labor Statistics, 122
- Business/organizational records, 304
- California: pertussis epidemic in, 2014, 76–83, 81, 82–83
- California Department of Public Health, 76, 79
- Campylobacter*, 38, 39
- Canadian Federal, Provincial, and Territorial Advisory Committee on Population Health, 21
- Canadian Institute for Advanced Research, 255
- Cancer, 34
- Cancer clusters, 72–73; defined, 72; examples of, 72–73
- Cancer registrar, 106
- Cancer registry(ies), 125; accessing statistics in, 107; defined, 105; operation of, 105–6
- Carcinogens, 67
- Cardiovascular disease, 62, 85
- Care transition teams, 309
- Carpal tunnel syndrome, 34
- Case-control studies, 152–55, 168; advantages of, 154; defined, 152; design of, 153; foodborne outbreaks and, 184; limitations of, 154; matching in, 153; measure of association for, 154–55, 168; sample excerpts from, 155–56
- Case definitions, 74, 89, 181–82
- Case fatality rate, 146, 209; defined, 140; formula for, 140
- Case groups, 152, 153, 168
- Case reports, 74, 89, 151, 311–14
- Case series, 74–75, 89, 151
- Case studies: childhood lead poisoning in refugee resettlement community, 223–27; community with two hospitals, 258–62; diabetes and hospital readmissions, 266–67; Ebola viral disease outbreak (West Africa, 2014), 46–50, 49, 50; John Snow and the London cholera epidemic, 58, 58–61, 59, 60, 61; pertussis epidemic (California, 2014), 76–83; *Salmonella* outbreak linked to cucumbers, 188–94; where you live impacts your health, 222–23; Zika virus, 196–204
- Catholic Medical Center (Manchester, NH), 258–59

- Causal association: Hill's criteria and, 166–67
- Cause-specific rates, 146; defined, 139; formula for, 140
- CDC. *See* Centers for Disease Control and Prevention
- CDC WONDER, 113, 125
- Census Bureau, 101, 103, 125
- Census data, 101, 103, 244; American Community Survey, 103; decennial census of population and housing, 101; economic census, 101; economic indicator reports, 103; governments, 103
- Centers for Disease Control and Prevention, 6, 7, 35, 62, 64, 95, 96, 124, 125, 152, 238–39, 247, 317; on basic epidemiologic approach, 74; Behavioral Risk Factor Surveillance System and, 104; *cancer clusters* defined by, 72; on case-control studies, 152; on chronic disease, 302; claims data recommendations, 121; on cohort studies, 157; Dengue Branch, Puerto Rico, 197; *Emerging Infectious Diseases* journal, 155; ethics in research conducted by, 152; on experimental study, 162; FastStats, 114, 114; Foodborne Diseases Active Surveillance Network (FoodNet), 37, 38–40; Interactive Atlas of Heart Disease and Stroke, 107; on meaningful use, 303; *Morbidity and Mortality Weekly Report*, 30, 98, 317; National Center for Health Statistics, 112; National Program of Cancer Registries, 106; National Public Health Performance Standards, 243–44, 248; polio report, 70; *Preventing Chronic Disease* journal, 163; on public health interventions, 204–6; on rates, 134; on relative risk, 158–59; steps in disease outbreak investigation, 178, 180, 180–87, 187; *surveillance* defined by, 36; on ten greatest public health achievements in twentieth century, 15, 15; *Vital Signs*, 98, 101
- Centers for Medicare & Medicaid Services, 118, 126, 293
- CHAs. *See* Community health assessments
- Chemical spills, 34
- Chickenpox. *See* Varicella (chickenpox)
- Childhood lead poisoning in refugee resettlement community (case study), 223–27; editorial note, 226–27; fatal pediatric lead poisoning (New Hampshire, 2000), 224–26; introduction, 224
- CHIP. *See* Community health improvement process
- CHNAs. *See* Community health needs assessments
- Cholera, 34. *See also* London cholera epidemic; defined, 58; federal quarantine and isolation and, 45
- Chronic disease: CDC on, 302
- Chronic obstructive pulmonary disease: clinical examination *vs.* epidemiologic description of, 30–31
- CIAR. *See* Canadian Institute for Advanced Research
- Claims data, 120–21, 303, 305
- Clinical data, 304, 305
- Clinical medicine: population medicine *vs.*, 30
- Clinical trial, 162, 168
- Clostridium difficile* infections, 39
- Clusters, 180, 181; cancer, 72–73; defined, 69; restaurant, 183

- CMS. *See* Centers for Medicare & Medicaid Services
- Coal miners: advanced occupational lung disease in, 34
- Cocooning: pertussis protective strategy and, 77
- Coherence: Hill's criteria and, 167, 169
- Cohort: defined, 157
- Cohort studies, 157–61, 168; advantages of, 161; defined, 157; design of, 158; foodborne outbreaks and, 184; limitations of, 161; measure of association for, 158–59, 168; prospective, 157, 158, 168; retrospective, 157–58, 159, 168; sample excerpts from, 160–61
- Cold-spotting, 291, 297
- Collaboration: healthcare, public health systems, and, 288
- Collective impact approach: to neighborhood health improvement, 19
- Common source outbreak, 177
- Communicable disease, 34; control measures for, 44–45; defined, 174
- Communication: electronic health records and, 303
- Community benefit standard, 248; defined, 245; population health and, 245–46
- Community Catalyst, 317
- Community health: improving, County Health Rankings and, 116–17
- Community health assessment process, 233–36, 247; describe the community and define the population, 234, 247; develop community health improvement plan, 236, 247; engage community and understand their health priorities, 234–35, 247; identify key partners and stakeholders, 235, 247; identify community health indicators and collect data, 235–36, 247; report the health priorities, 236, 247
- Community health assessments, 232–48, 237, 253, 271, 281; data collection and analysis issues in, 244–46, 248; defined, 233, 247; high-quality, examples of, 238; questions answered in, 234; tools, 238–44
- Community health improvement plan: developing, 236
- Community health improvement process, 236, 237, 238, 271; defined, 236; description, principles, notes, 237; high-quality, examples of, 238; tools, 238–44
- Community health needs assessments, 233, 271–72, 281
- Community Tool Box, 13, 240, 247
- Confounding, 166, 169
- Congenital malformations, 96
- Consistency: Hill's criteria and, 166, 169
- Contagious disease: isolation and, 44
- Continuous common source outbreaks, 209; defined, 178; epidemic curve for, 179
- Control group: in case-control studies, 152; in randomized controlled trial, 162, 168
- Controlling: in epidemiology, 31
- Control measures: Ebola viral disease outbreak (West Africa, 2014) and, 44–45
- Cooperation: healthcare, public health systems, and, 288
- COPD. *See* Chronic obstructive pulmonary disease
- Counts (or case reports), 74

- County Health Rankings & Roadmaps program, 18–19, 115–17, 126, 240, 247, 318; components of, 115; health factors measured in, 115; health outcomes and, 116; in practice, 117; website, 117
- Cronkite, Walter, 302
- Cronobacter sakazakii* infections, 39
- Cross-sectional studies, 74–75, 89, 151
- Crude birth rate, 134, 146; defined, 134–35; formula for, 135
- Crude death rate, 134, 146; defined, 136; formula for, 136; number of deaths, and age-adjusted death rate in the United States, 1935–2010, 136
- Crude rates, 146; defined, 134; examples of, 134; limitations of, 138; types of, 134–37; working with, 138–39
- Cryptosporidiosis cases: epidemic curve for point source outbreak, 178
- Cryptosporidium*, 38
- Cultivating Health for Success: goals of, 312
- Cyclospora*, 38
- Dartmouth Atlas of Health Care*, 118, 119
- Dartmouth Institute for Health Policy and Clinical Practice, 119
- Data, public health. *See also* Healthcare data: accessing, reasons for, 95; Behavioral Risk Factor Surveillance System, 104–5, 125; big data, 304, 305; birth, 96; Bureau of Labor Statistics, 122; cancer registries, 105–7, 125; CDC FastStats, 114; CDC *Vital Signs*, 98, 101; CDC WONDER, 113, 125; census, 101, 103, 125, 244; claims, 120–21, 303, 305; clinical, 304, 305; County Health Rankings & Roadmaps, 115–17, 126; descriptive epidemiology and, 63; Foodnet, 38–39; geographic information systems and, 107–8, 108, 125; mortality, 97–98; National Center for Veterans Analysis and Statistics, 121, 126; over-the-counter surveillance, 110, 111, 112; Public Health Information Network, 112–13; public-use files, 112; qualitative, 32, 33; quantitative, 32, 33; surveillance, 36; syndromic surveillance, 109, 125; types of, for community health, 244–45, 248; visualization tools, 304; vital statistics, 95–96; workplace assessment and surveillance, 110, 125
- Data collection: community health assessment and, 235–36; obstacles to, 245
- Data-driven population health management, 301–5; big data, 304, 305; claims data, 303, 305; electronic health records, 302–3, 305
- Death: leading causes of, in developed and less developed countries, 84; leading causes of, in the United States, 1900, 84; leading causes of, in the United States, 1998, 84; premature, 222
- Death certificate: completing cause-of-death section of, 99–100; data, 97
- Death data (or mortality data), 97; for United States, 2010, 101
- Decennial census of population and housing, 101
- Defense mechanisms, 174, 209
- Demographic transition: defined, 85, 89; stages in age and sex distributions in developed societies, 85
- Demography: defined, 31
- Describing: in epidemiology, 31

- Descriptive epidemiology: defined, 58; hypotheses in, 151; indicators and methods, 73–75; London cholera epidemic and, 59; person and, 63, 64–66, 88, 89; place and, 63, 67, 68, 88, 89; time and, 63, 69–73, 88, 89
- Determinants: epidemiology and, 29
- Diabetes, 85
- Diabetes and hospital readmissions case study, 266–67
- Dialysis Facility Compare, 118
- Diethylstilbestrol, 106
- Diphtheria: federal quarantine and isolation and, 45
- Direct adjustment of rates, 143
- Direct transmission: of infectious disease, 175
- Disease outbreak investigation, steps in, 178, 180, 180–87, 209; control the outbreak, 180, 186–87, 209; decide the outbreak is over, 180, 187, 209; detect an outbreak, 178, 180, 180–81, 209; find cases, 180, 181–82, 209; hypotheses generation, 180, 182–83, 209; solve the source of the outbreak, 180, 185–86, 209; test hypotheses, 180, 184–85, 209
- Disease(s). *See also* Case studies; Chronic disease; Communicable disease; Infectious disease(s); Surveillance: electronic health records and prevention of, 303; frequency of, 34–35; natural progression of, timeline, 204, 205; notifiable, 40, 40–43, 41; reportable, 40, 41
- Distribution: epidemiology and, 29
- Distributive justice: in population health approach, 257
- DNA fingerprinting, 181
- Dose–response relationship: Hill’s criteria and, 166, 169
- Double-blind trials, 163, 169
- E. coli*, 39
- E. coli* O157: detection of, 181
- E. coli* Vero cytotoxin type 2 outbreak, North Wales, 156
- Eastern Equine Encephalitis, 43
- Ebola viral disease: characteristics and diagnosis of, 47
- Ebola viral disease outbreak (West Africa, 2014), 46–50; characteristics of EVD, 47; control measures used in, 44–45; efforts to control outbreak, 48–49; location of cases of EVD, 50; number of cases of EVD, by week of symptom onset, Guinea, 2014, 49; overview, 46
- Ecological model of health, 308
- Economic census, 101
- Economic indicator reports, 103
- Education: as health determinant, 217; patient, 309, 314; population health, 309–10, 314
- Electronic health records (EHRs), 302–3, 305; benefits of, 302–3; defined, 302, 305
- Elliot Hospital (Manchester, NH), 258, 259
- Emerging infectious diseases: types and examples of, 195
- Emerging Infectious Diseases*, 155
- Emory University Hospital (Atlanta), 45
- Endemic: defined, 34, 52
- Environment: in epidemiologic triangle, 174, 175, 209
- Environmental Health News*, 23
- Environmental hygiene, 15
- Environmental Protection Agency, 318

- Environmental tobacco smoke: lung cancer in Chinese women and, 156
- EPHS. *See* Essential public health services
- Epidemic curves, 209; for continuous common source outbreak, 179; defined, 177; for point source outbreak, 178; for propagated outbreak, 179
- Epidemics: defined, 34, 52; examples of, 34; pertussis, 76–83
- Epidemic threshold, 35
- Epidemiological foundation: in population health approach, 257
- Epidemiologic measures, 133–46; adjusted rates, 143–45; crude rates, 134–39; specific rates, 139–43
- Epidemiologic tools, 36–46; control measures, 44–45; public health police power, 45–46; surveillance, 36–44
- Epidemiologic transition: defined, 83, 89; leading causes of death in the United States, 1900, 84; leading causes of death in the United States, 1998, 84
- Epidemiologic triangle, 174–75, 175, 209
- Epidemiology: analytic, 58, 134, 145, 166; defined, 29–31, 52; demography and, 31; descriptive, 58, 151; development of, 58, 62–63; expansion and evolution of field, 62; “father” of, 58, 58, 88; frequency of disease and, 34–35; as population medicine, 30, 52; quantitative and qualitative data in, 32, 33; questions and goals related to, 31, 52; “shoe-leather,” 63
- Essential public health services (EPHS), 7, 8, 8–12, 23; assuring competent healthcare workforce, 8, 11–12; diagnose/investigate health problems and hazards in community, 8, 9; evaluating population-based health services, 8, 12; health regulation enforcement, 8, 10–11; inform, educate, and empower people about health issues, 8, 9; linking people to healthcare services, 8, 11; MAPP and, 239; mobilize community partnerships, 8, 9–10; monitor health status, 8, 8–9; policy development for individual and community health efforts, 8, 10; public health research activities, 8, 12
- Ethical conduct in research, 152, 168
- ETS. *See* Environmental tobacco smoke
- Evans, Robert G., 218, 228
- EVD. *See* Ebola viral disease
- Evidence-based public health: defined, 95
- Experiment: Hill’s criteria and, 167, 169
- Experimental studies, 162–64, 168; advantages of, 163; analytic epidemiology and, 151, 168; defined, 162; informed consent and, 163; limitations of, 163; sample abstract from, 163–64
- Experiments: natural, 62–63
- Explaining: in epidemiology, 31
- FastStats (CDC), 114, 114
- FDA. *See* Food and Drug Administration
- Fertility rates, 85, 134
- FHS. *See* Framingham Heart Study
- Field model of health and well-being, 218–19, 228, 246
- Follow-up study, 157. *See also* Cohort studies
- Fomite, 176
- Food and Drug Administration, 124, 186
- Foodborne disease reporting: burden of illness pyramid and, 39, 39

- Foodborne outbreak investigations: controlling the outbreak, 186–87, 187; deciding the outbreak is over, 187, 187; detecting, 178, 180–81, 187; finding cases, 181–82, 187; hypotheses generation for, 182–83, 187; solving source of, 185–86, 187; testing hypotheses, 184–85, 187
- Foodborne outbreaks: CDC on detection of, 181
- FoodNet, 37, 38–40
- Food safety, 15. *See also* Foodborne outbreak investigations
- Food Safety News*, 23
- Formal reporting systems: in disease outbreak investigation, 180
- Framingham Heart Study, 160–61
- Frequency: defined, 34; of disease, assessing, 34–35
- Fungi, 175
- Gapminder, 304
- Gender: as health determinant, 217, 219
- General fertility rate, 146; defined, 135; formula for, 135; in the United States, 1925–2009, 135
- Genetic epidemiology, 62
- Genetics: as health determinant, 217, 219
- Geographic information systems (GIS), 8, 125; accessing information via, 107–8; defined, 107; map of heart disease death rates, 107, 108
- Governments: census of, 103
- Graunt, John, 62
- Guillain-Barré syndrome Passive Surveillance System: Zika virus and, 198
- Hantavirus pulmonary syndrome, 195
- Harvard Health, 318
- Harvard School of Public Health Prevention Research Center, 318
- Harvard T. H. Chan School of Public Health, 318
- Health. *See also* Population health; Public health: ecological model of, 308; field model of, 218–19, 228, 246; social gradient of, 220, 229; where you live case study and, 222–23; WHO definition of, 4
- Health Canada, 318
- Healthcare: distinction between public health and, 13–14, 24; focus of, 288, 296; integration success stories, 295–96
- Healthcare data, 118–22. *See also* Data, public health; Bureau of Labor Statistics, 122; Henry J. Kaiser Family Foundation, 122; hospital data, 118–21; National Center for Veterans Analysis and Statistics reports, 121; Social Security Administration, 121–22; Trust for America's Health, 122
- Healthcare.gov, 318
- Healthcare system: managerial epidemiology and, 253–54
- Health coaching, 292, 297
- HealthData.gov, 118
- Health determinants: defined, 216, 228; population health and, 219; WHO descriptions of, 217
- Health exchanges, 294, 297
- Health factors: defined, 115; measured in County Health rankings, 115
- Healthier Wisconsin Partnership Program, 18
- Health in All Policies, 277–78, 281, 289
- Health information privacy, 122–24, 126–27

- Health information technology: integrated and comprehensive, 310, 314
- Health Information Technology for Economic and Clinical Health (HITECH) Act, 303, 305
- Health Insurance Portability and Accountability Act, 122–24, 126; enactment of, 122; Privacy Rule, 122–24, 126, 127; Security Rule, 123, 126
- Health literacy, 14
- Health outcomes: defined, 116; meaningful use and “five pillars” of, 303
- Health-related states or events: epidemiology and, 30
- Health research data, 304
- Health Research & Educational Trust, 309, 310, 314; mission and website of, 22; *The Second Curve of Population Health*, 308
- Health services access: as health determinant, 217, 219
- Health Services and Resources Administration, 118
- Healthy Communities, 236, 237
- “Healthy migrant effect,” 66
- Healthy Monadnock (New Hampshire), 272–73
- Healthy People 2020, 318; action plan for, 18; Leading Health Indicator topic areas, 17; MAP-IT tool, 241; mission and goals, 16; topic areas and objectives for, 16
- Heart attack rate and smoking: natural experiments with, 63
- Heart disease, 34; GIS map of death rates due to, 107, 108
- Helmet laws: natural experiments and, 63
- Helminths, 175
- Hemolytic uremic syndrome, 38–39
- Henry J. Kaiser Family Foundation, 122
- Herd immunity, 177, 206, 209
- HHS. *See* United States Department of Health and Human Services
- HiAP. *See* Health in All Policies
- Hill, Austin Bradford, 166, 169
- Hill’s criteria, 166–67, 169
- HIPAA. *See* Health Insurance Portability and Accountability Act
- Hispanic infants: pertussis and, 78
- Histograms, 32
- History of Public Health, A* (Rosen), 6
- HITECH Act. *See* Health Information Technology for Economic and Clinical Health (HITECH) Act
- HIV/AIDS, 175, 195
- Holistic view: in population health approach, 257
- Home Health Compare, 118
- Homeless population: health and well-being of, case report, 311–12
- H1N1 influenza pandemic, 195
- Hospital Compare, 118
- Hospitals: community with two hospitals case study, 258–62; discharge data, 119–20, 126; marine, 5–6; non-profit, community benefit standard and, 245–46, 248
- Host, 176; defined, 174, 209; in epidemiologic triangle, 174, 175, 209
- Hot-spotting, 291, 297
- Housing, 15; decennial census of, 101; lead exposure in Manchester, New Hampshire and, 223–24
- HRET. *See* Health Research & Educational Trust
- HUS. *See* Hemolytic uremic syndrome
- Hypertension, 85
- Hypotheses: in analytic epidemiology, 151; generating, in disease outbreak investigations, 180, 182–83;

- generating, London cholera epidemic and, 59, 60, 61; testing, in disease outbreak investigations, 180, 184–85
- Hypothesis-generating interviews: food-borne outbreaks and, 182
- ICD. *See* International Classification of Diseases
- ICD-10, 98
- IHI. *See* Institute for Healthcare Improvement
- Immunity, 174
- Immunizations, 14. *See also* Vaccines
- Inapparent infection, 176
- Incidence: defined, 73, 89
- Income and social status: as health determinant, 217, 219
- Incubation period: defined, 44; Ebola viral disease outbreak (West Africa, 2014) and, 45; infectious organism, 176
- Indirect adjustment of rates, 143–44
- Indirect transmission: of infectious disease, 176
- Inequities in health: social gradient of health and, 220
- Infant mortality rate, 15, 134, 146; defined, 137; formula for, 137
- Infants: number/percentage of, hospitalized with pertussis (California, 2014), 82–83
- Infectious disease epidemiology, 173–210
- Infectious disease(s), 5, 34, 174; designated as notifiable for the United States, 2016, 40–43; emerging, 194–96, 210; epidemic curves and, 177–78, 178, 179; epidemiologic triangle and, 174, 175; etiology of, 174; measles outbreak case study, 206–8, 208; outbreak investigation, 178, 180–87; public health interventions, 204–6, 210; *Salmonella* outbreak linked to cucumbers case study, 188–92, 193, 194; transmission of, 175–77, 176, 209; Zika virus case study, 196–201, 202, 203
- Infectivity, 175, 209
- Influenza: cyclic pattern of, 70–71, 71; epidemic threshold for, 2010–2015, 35, 35; laboratory-confirmed, person attributes and hospitalization, 64, 65; over-the-counter surveillance in New York City, 110, 111; pandemic-causing, federal quarantine and isolation and, 46; pandemic of 1918, 35
- Influenza vaccination: case series example, 75
- Informal reporting systems: in disease outbreak investigation, 180
- Information bias, 165, 169
- Informed consent: ethical research and, 163, 169
- Institute for Healthcare Improvement: Triple Aim, 289–90, 309
- Institute for Health Metrics and Evaluation, 304
- Institute of Medicine. *See also* National Academy of Medicine: on core functions of public health, 6; core measures for population health management, 290–91, 296; on integration of primary care and public health, 288; *public health* defined by, 4, 221; *public health professional* defined, 3
- Institutional review boards, 124
- Internal Revenue Service: community benefit standard, 245, 246, 248
- International Classification of Diseases, 97–98, 125
- Internet resources, 317–19

- Interviewer bias, 165, 169
 IOM. *See* Institute of Medicine
 IRBs. *See* Institutional review boards
 IRS. *See* Internal Revenue Service
 Isolated impact strategies: collective impact strategies *vs.*, 19
 Isolation: defined, 44, 53; Ebola viral disease outbreak (West Africa, 2014) and, 45, 47; police power and, 45
- Johns Hopkins Bloomberg School of Public Health, 318
 Justice, 152
- Kaiser Health News*, 23, 122
 KFF. *See* Henry J. Kaiser Family Foundation
 Kindig, David, 318
 Koop, C. Everett, 14
- Latino paradox, 64–66
 Lead encephalopathy: in young children, 226
 Leading Health Indicators, 16–17, 18
 Lead poisoning, 34
 LHIs. *See* Leading Health Indicators
 Life expectancy, 221, 222, 229; Latino paradox and, 64–66, 66; mortality data and, 97; public health and increase in, 15, 24
 Line graphs, 32, 33
Listeria, 38
 Local public health system, 8
 Local Public Health System Assessment Instrument, 244
 London cholera epidemic: John Snow and, 58, 58–61, 59, 60, 61, 63, 74
 Longitudinal study, 157. *See also* Cohort studies
 LPHS. *See* Local public health system
- Lung cancer in Chinese women: environmental tobacco smoke and, 156
 Lung cancer/smoking link: pioneering epidemiologic work and, 62
 Lung disease: occupational, 34
 Lyme disease, 30, 67, 68, 175, 195, 205; case series example, 74–75; distribution of, 69
- Malaria, 34, 175
 Managerial epidemiology, 252–68; defined, 253, 267; healthcare system and, 253–54; population health approach to, 255–57
 Manchester, New Hampshire: reviewing a community health assessment for, 87–88
 Manchester Health Department (New Hampshire), 19
 MAP-IT tool (Healthy People 2020), 241, 248; assess component in, 241–42; implement component in, 242–43; mobilize component in, 241; plan component in, 242; track component in, 243
 MAPP. *See* Mobilizing for Action Through Planning and Partnerships
 Maps, 32
 Marine hospitals, 5–6
 Marine Hospital Service, 6
 Marmot, Michael, 220, 229
 Masking (or blinding), 162–63
 Massachusetts Department of Public Health, 318
 Matching, 153, 168
 Maternal and infant health, 15
 Maternal mortality rate, 134, 146; defined, 137; formula for, 137; in the United States, through the 1900s, 138

- Mayo Clinic, 313, 318
- Meaningful use, 303, 305
- Measles: incubation period for, 176
- Measles outbreak, California, December 2014–February 2015 (case study), 206–7; number of confirmed measles cases by date of rash onset, California, December 2014–February 2015, 208
- Media: public health in, 23
- Medicaid: data, 120
- Medical care services investment: determinants-based health initiatives and, 217–18
- Medicare data, 118, 120
- Metrics: for population health outcomes, 221–22, 229; for success in population health, 310
- Million Hearts Learning Collaborative (New Hampshire): case report, 311
- Mobilizing for Action Through Planning and Partnerships, 236, 237, 238–40, 247; description of, 238–39; main elements of, 239–40
- Molecular epidemiology, 62
- Morbidity: adjusted rates and, 143; County Health Rankings and, 116; defined, 30, 52; personal health behaviors and, 104
- Morbidity and Mortality Weekly Report (MMWR)*, 30, 98, 317
- Mortality: adjusted rates and, 143; County Health Rankings and, 116; defined, 30, 52; Latino paradox and, 64–66; London cholera epidemic and, 60, 60–61, 61; personal health behaviors and, 104
- Mortality data, 97; accessing, 98; collection and use of, 97; limitations with, 98
- Mosquito-borne diseases, 43
- Mutual awareness: healthcare, public health systems, and, 288
- NACCHO. *See* National Association of County and City Health Officials
- NALBOH. *See* National Association of Local Boards of Health
- NAM. *See* National Academy of Medicine
- National Academies of Sciences: Engineering, and Medicine—Health and Medicine Division, 318
- National Academy of Medicine, 4, 288, 311; Roundtable on Population Health Improvement, 271, 281
- National Association of County and City Health Officials, 233, 238, 247, 318; mission and website of, 22
- National Association of Local Boards of Health: mission and website of, 22
- National Cancer Institute, 118; Surveillance, Epidemiology, and End Results (SEER) program, 106
- National Center for Health Statistics, 95, 96, 97, 112, 124, 125
- National Center for Veterans Analysis and Statistics, 118, 121, 126
- National Death Index, 120
- National Hospital Ambulatory Medical Care Survey, 119
- National Hospital Care Survey, 119, 126
- National Hospital Discharge Survey, 119, 126; total hip replacement hospitalization data, 120
- National Immunization Survey, 69
- National Institutes of Health, 45, 118, 126, 304, 318
- National prevention programs: examples of, 17

- National Program of Cancer Registries (CDC), 106
- National Public Health Performance Standards, 243–44, 248
- National Vital Statistics Report*, 97, 98
- National Vital Statistics System, 14, 95, 96, 97
- Nation's Health, The*, 23
- Natural experiments: defined, 62–63, 88
- Natural history, 204
- NCHS. *See* National Center for Health Statistics
- NCVAS. *See* National Center for Veterans Analysis and Statistics
- Neighborhood health improvement, 19
- New Hampshire: Catholic Medical Center, 258–59; Elliot Hospital, 258, 259; fatal pediatric lead poisoning in, 2000, 223, 224–26; greater Manchester community health needs assessment, 259–62; Healthy Monadnock in, 272–73; Million Hearts Learning Collaborative in, 311
- New Hampshire Public Health Association, 318
- New York City: over-the-counter surveillance in, 111; street scene, 5
- New York Times* Well, 318
- NHCS. *See* National Hospital Care Survey
- NHDS. *See* National Hospital Discharge Survey
- Notifiable disease: defined, 40, 41; infectious diseases designated as, for the United States, 2016, 40–43
- NPCR. *See* National Program of Cancer Registries (CDC)
- NPHPS. *See* National Public Health Performance Standards
- NPR Health News, 318
- Nursing Home Compare, 118
- Nutrition, 15
- NVSS. *See* National Vital Statistics System
- Obesity, 15
- Observational studies: analytic epidemiology and, 151, 168
- Occupational Safety and Health Administration, 122, 124
- Odds ratio, 154, 168
- Olmsted County (MN) Collaborative School-Located Influenza Immunization Program case report, 313–14
- OR. *See* Odds ratio
- OSHA. *See* Occupational Safety and Health Administration
- Outbreak. *See also* Disease outbreak investigation, steps in: defined, 34, 180
- Over-the-counter surveillance, 125; defined, 110; limitations of, 112; in New York City, 111
- Pandemics: defined, 34, 52; examples of, 35; global, 15
- Paradigm for Clinical Practice: A Primer on Population-Based Medicine* (AMA), 256–57
- Partnership for a Healthier America, 318
- Partnerships: healthcare and public health systems and, 288; population health approach and, 310, 314
- Partners in Health, 319
- Passive immunity, 174
- Passive sentinel surveillance, 43
- Passive surveillance: advantages/disadvantages and examples of, 38; defined, 37, 52
- Pathogen: in epidemiologic triangle, 174, 175

- Pathogenicity, 175, 209
- Patient-centered medical homes: principles for, 292–93, 297; value-based reimbursement and, 309
- Patient education, 309, 314
- PCMH. *See* Patient-centered medical homes
- Period prevalence, 177, 209
- Person: descriptive epidemiology and, 63, 64–66, 88, 89; Latino paradox example, 64–66
- Personal health behaviors: morbidity, mortality, and, 104
- Person-time concept, 136, 146
- Person-time death rate, 136
- Person-time incidence rate, 136; defined, 137; formula for, 137
- Pertussis: cyclical incidence of, 80
- Pertussis epidemic (California, 2014), 76–83
- PFGE. *See* Pulse-field gel electrophoresis
- PHAB. *See* Public Health Accreditation Board
- PHAs. *See* Public health authorities
- PHF. *See* Public Health Foundation
- PHI. *See* Public Health Institute
- PHIN. *See* Public Health Information Network
- PHM. *See* Population health management
- Physical environment: as health determinant, 217, 218, 219
- Pie charts, 32, 33
- Place: descriptive epidemiology and, 63, 67, 88, 89; Lyme disease example, 67, 68
- Plague: federal quarantine and isolation and, 45
- Plan-do-check-act (PDCA) cycle: phases of, 278–79, 279, 281
- Planned Approach to Community Health, 236, 237
- PMR. *See* Proportional mortality ratio
- Pneumoconiosis, 34
- Pneumonia: epidemic threshold for, 2010–2015, 35, 35
- Point prevalence, 177, 209
- Point source outbreaks, 209; defined, 177; epidemic curve for, 178
- Police power, 45–46, 53
- Policy development, 6, 7, 8, 233
- PolicyMap, 304, 319
- Polio (poliomyelitis): secular trends for, 69, 70, 71
- Population: decennial census of, 101
- Population-based surveillance: defined, 40, 53
- Population health, 289; basic principles of, 219; case reports, 311–14; community benefit standard and, 245–46; as a concept of health, defined, 216, 228; defined, 21, 24, 216, 228, 255, 271; health determinants and, 219; IOM definition of, 221; outcomes, 221–22, 228; professional associations for, 22; public health *vs.*, 21–22; quality improvement and, 278–80
- Population health approach: implementing, 255–57, 268; implementing, “second curve” and, 309–10, 314; key principles for clinical settings, 256–57; underlying assumption of, 255
- Population health care management model: focus of, 257–58, 268; transitioning to, 257
- Population health driver diagram, 273–76, 274, 281; for adolescent smoking, 276; defined, 273; “tree diagram” structure of, 275

- Population health improvement:
 community health needs assessment, 271–72; Health in All Policies, 277–78; population health driver diagram, 273–75; public health and healthcare system collaboration, 276–77
- Population health management, 287–96;
 challenges to, 295; core measures for, 290–91; data-driven, 302; defined, 288, 297; Triple Aim and, 289–90, 297
- Population health management approaches, 291–95; accountable care organizations, 293, 297; cold-spotting, 291, 297; health coaching, 292, 297; health exchanges, 294, 297; hot-spotting, 291, 297; patient-centered medical home, 293, 297; telemedicine, 294–95, 297
- Population health movement: momentum behind, 308, 314
- Population medicine: epidemiology as, 30, 52
- Population pyramid(s): defined, 85, 89; for 1950, 1990, and 2030, 86
- Portsmouth, New Hampshire: mini-CHA for, 262–66
- Poultry-processing employees: traumatic injury risk factors among, 34
- PRECEDE-PROCEED, 236, 237
- Predicting: in epidemiology, 31
- Pregnancies in younger teens: preventing, *Vital Signs Report*, 102
- Premature death, 222
- Presidential Commission for the Study of Bioethical Issues. *See* Bioethics Commission
- Prevalence: defined, 73, 89
- Prevarication bias, 165, 166, 169
- Preventing Chronic Disease* journal, 163, 221
- Prevention: of disease in a population, 6; national prevention programs, examples of, 17; primary, 14, 24; secondary, 14, 24; tertiary, 14, 24
- Primary care: focus of, 288
- Primary data, 245
- Primary prevention, 14, 24
- Privacy Rule (HIPAA), 122–24, 126, 127
- Promotion of health, 6
- Propagated outbreaks, 209; defined, 178; epidemic curve for, 179
- Prophylactic trial, 162, 168
- Proportional mortality ratio, 146; defined, 140; formula for, 140
- Prospective cohort study, 168; defined, 157; design of, 158
- Protection: of health of a population, 6
- Protozoa, 175
- Public health. *See also* Data, public health: achievements and initiatives in, 15, 15; core functions of, 6, 7, 233; defined, 4–5, 23; distinction between healthcare and, 13–14; evidence-based, 95; focus of, 6, 288, 296; goal of, 4; healthcare system collaboration and, 276–77; history of, 5–6; in the media, 23; mission of, 6, 23; population health *vs.*, 21–22; professional associations for, 22; ten essential services in, 8; three *Ps* and mission of, 6, 23; “typical day” and, 20–21
- Public Health Accreditation Board, 233, 246, 248, 271, 276
- Public Health Agency of Canada, 255
- Public health authority(ies): defined, 123; examples of, 123–24; syndromic surveillance and, 109

- Public Health Foundation, 273, 280, 281, 319
- Public Health Governing Entity Assessment Instrument, 244
- Public Health Information Network, 109, 112–13, 125
- Public Health Institute: mission and website of, 22
- Public health police power, 45–46, 53
- Public health practice in the community: preventing gang violence and teen pregnancy, 13
- Public health professional: defined, 3
- Public health services: “wheel” of, 12–13
- Public health system: defined, 23; healthy population and, 4; organizations, institutions, and agencies in, 7
- Public-use data files, 112, 112
- Puerperal causes: maternal mortality rate and, 137
- Pulse-field gel electrophoresis, 181
- PulseNet, 181, 188
- Purchase analysis: over-the-counter surveillance and, 110
- QI. *See* Quality improvement
- Qualitative data, 32, 33, 244, 245, 248
- Quality improvement, 281; defined, 278; examining initiatives in, 280; population health and, 278–80
- Quality of life: public health and, 15, 24
- Quantitative data, 32, 33, 244, 245, 248
- Quarantine: defined, 44, 53; Ebola viral disease outbreak (West Africa, 2014) and, 45; police power and, 45
- Rabies, 195
- Race/ethnicity: diabetes and hospital readmissions case study, 266–67; number/rate of pertussis cases among infants by (California, 2014), 81
- Randomization, 162, 163, 169
- Randomized controlled trial, 162, 163, 168
- Rates: adjusted, 143–45; crude, 134–39; defined, 74, 89, 134, 145; specific, 139–43
- RCT. *See* Randomized controlled trial
- Recall bias, 165, 169
- Refugee resettlement community, Manchester, NH: fatal pediatric lead poisoning, 2000, 223, 224–26
- Relative risk, 158–60, 168; calculating, 159, 160; defined, 158
- Reportable disease: defined, 40, 41
- Research: ethical conduct in, 152, 168; public health work grounded in, 12
- Reservoir, 174, 176
- Resistance, 175, 209
- Restaurant clusters: foodborne outbreaks and, 183
- ReThink Health, 319
- Retrospective cohort study, 168; defined, 157–58; design of, 159
- Risk ratio, 158
- Robert Wood Johnson Foundation, 18, 115, 247, 319
- Rocky Mountain spotted fever, 195
- Rosen, George, 6
- RR. *See* Relative risk
- Saint Patrick Hospital (Montana), 45
- “Salmon bias effect,” 66
- Salmonella*, 38, 39; detection of, 181
- Salmonella* outbreak linked to cucumbers (case study), 188–94; discussion, 190–91; epidemiologic investigation, 188–89; introduction, 188; laboratory investigation, 190; number

- of persons infected with outbreak strain of *Salmonella* Newport, by estimated date of illness onset, US, May 20–September 30, 2014, 194; number of persons infected with outbreak strain of *Salmonella* Newport, by state, US, May 20–September 30, 2014, 193; traceback investigation, 189; what are implications for public health practice, 192; what is added by this report, 192; what is known about this topic, 192
- Sanitation movement, 5
- SARS. *See* Severe acute respiratory syndrome
- Science Daily*, 23
- Seatbelt laws: natural experiments and, 63
- Secondary data, 245
- Secondary prevention, 14, 24
- Second Curve of Population Health, The* (HRET), 308
- Secular trend(s): defined, 69; for varicella and polio, 69–70, 70, 71
- Security Rule (HIPAA), 123, 126
- SEER program. *See* Surveillance, Epidemiology, and End Results (SEER) program
- Selection bias, 165–66, 169
- Sentinel surveillance: defined, 43
- September 11, 2001, terrorist attacks: epidemiology and, 62
- Serotyping, 181
- Severe acute respiratory syndrome: emergence of, 195; federal quarantine and isolation and, 46
- Shape Up Somerville (Massachusetts), 19
- Shiga* toxin-producing *Escherichia coli* (STEC), 38, 39
- Shigella*, 38, 39
- “Shoe-leather” epidemiology, 63
- “Shotgun” questionnaire, 183
- Single-blind trials, 162–63, 169
- Smallpox: federal quarantine and isolation and, 45
- Smoking and heart attack rate: natural experiments with, 63
- Smoking/lung cancer link: pioneering epidemiologic work and, 62
- SMR. *See* Standardized mortality ratio
- Snow, John, 62; London cholera epidemic and, 58, 58–61, 59, 60, 61, 63, 74
- Social gradient of health, 220, 229
- Social media resources, 317–19
- Social Security Administration: healthcare data, 121–22
- Social support networks: as health determinant, 217, 219
- Socioeconomic status: as health determinant, 217, 219; social gradient of health and, 220, 228
- Somerville, Massachusetts: antiobesity campaign in, 19
- Specificity: Hill’s criteria and, 166, 169
- Specific rates, 146; defined, 139; limitations of, 140; types of, 139–40; working with, 141–43
- Specified populations: epidemiology and, 30
- Spot map: of deaths from cholera, London, 1854, 59; defined, 59
- Stakeholders: dissemination methods for, 44; identifying, community health assessment, and, 235; in surveillance system, 43–44
- Standardization, defined, 143
- Standardized morbidity ratio, 144
- Standardized mortality ratio, 146; defined, 144; formula for, 144
- State Public Health System Assessment Instrument, 244

- Stealth foods, 185
- STEC. *See Shiga* toxin-producing *Escherichia coli* (STEC)
- Stoddart, Greg L., 218, 228
- Strength: Hill's criteria and, 166, 169
- Subclinical infection, 176
- Surgeon general, 6
- Surveillance: active, 37, 52; defined, 36, 52; in disease outbreak investigation, 178, 180; electronic health records and, 302; generic system, components of, 37; importance of, 36–37; over-the-counter, 110, 111, 112, 125; passive, 37, 52; population-based, 40, 53; sentinel, 43; syndromic, 109, 125; workplace, 110, 125
- Surveillance, Epidemiology, and End Results (SEER) program, 106
- Syndromic surveillance, 125; defined, 109; electronic health records and, 302
- Systems approach: in population health approach, 257
- Tableau Public, 304
- Tables, 32
- Tapeworm, 175
- TCE. *See Trichloroethylene*
- Telemedicine, 294–95, 297, 309
- Temporality: cohort studies and, 157; Hill's criteria and, 166, 169
- Tertiary prevention, 14, 24
- Test (or study) group: in randomized controlled trial, 162, 168
- TFAH. *See Trust for America's Health*
- Therapeutic trial, 162, 168
- Thogotoviruses, 195
- Three *Ps*: mission of public health and, 6, 23
- Time: cyclic pattern of influenza, 70–71, 71; descriptive epidemiology and, 63, 69, 88, 89; secular trends for varicella and polio, 69–70, 70, 71
- Tobacco tax: natural experiments with, 63
- Tom's River (New Jersey): cancer cluster in, 72–73
- Total hip replacement, hospitalization data, 120
- Toxicogenicity, 175, 209
- Tracebacks: in foodborne outbreak investigations, 186
- Transitions of Care project, case report, 312–13
- Trichloroethylene: cancer cluster and, 73
- Triple Aim: population health management and, 289–90, 297; value-based reimbursement and, 309
- Trust for America's Health, 122
- Tuberculosis: agents and, 175; federal quarantine and isolation and, 45
- 2 × 2 table, 154, 155, 168
- UNICEF, 319
- United States: birth data for, 2012, 96; childhood lead poisoning in, 223; crude death rate, number of deaths, and age-adjusted death rate in, 1935–2010, 136; death data for, 2010, 101; general fertility rate in, 1925–2009, 135; GIS map of heart disease death rates in, 107, 108; infectious diseases designated as notifiable in, 2016, 40–43; leading causes of death in, 1900, 84; leading causes of death in, 1998, 84; maternal mortality rate in, through the 1900s, 138; pertussis in, 76, 81; poliomyelitis in, 70, 71; reported cases of Lyme disease in, 67, 68; total

- hip replacement hospitalization data, 2000–2010, 120
- United States Census, 66
- United States Constitution: decennial census mandated by, 101
- United States Department of Health and Human Services, 6, 118, 126, 303, 319; Healthy People initiative within, 16–17; Office of Minority Health, 319; Policy for Protection of Human Research Subjects, 124
- United States Department of Labor, 122
- United States Food and Drug Administration, 319
- United States Public Health Service: history of, 6
- University of Kansas: Work Group for Community Health and Development, 13, 240, 247
- University of Nebraska Medical Center, 45
- University of Wisconsin: Population Health Institute, 18–19, 115, 247
- USAID, 319
- Vaccinations, 205
- Vaccine-associated paralytic polio, 70
- Vaccines: DTaP series, 77; influenza, 75; polio, 70; Tdap, 76, 77, 78, 79, 81; varicella, 69
- Value-based reimbursement, 309, 314
- VAPP. *See* Vaccine-associated paralytic polio
- Varicella (chickenpox): secular trends for, 69, 70
- Vector-borne diseases: emerging, 195
- Vector-borne transmission, 176, 209
- Vectors, 174
- Vehicle-borne transmission, 176, 209
- Vibrio*, 38
- Viral hemorrhagic fevers: federal quarantine and isolation and, 45
- Virulence, 175, 209
- Viruses, 175
- Vital records, 66
- Vital Signs* reports (CDC): description of, 98, 101; on pregnancy among younger teens, 102
- Vital statistics, 95–96, 124; defined, 62
- Volatile organic compounds (VOCs), 72–73
- Volume-based reimbursement: shift to value-based reimbursement, 309
- Water supply hypothesis: Snow and London cholera epidemic and, 59, 59–61, 60, 61, 63
- WebMD Health Services, 292
- Well-being: field model of, 218–19, 228, 246
- West Nile virus, 30, 43, 195, 205
- “Wheel” of public health services, 8, 12–13
- Whitehall studies, 220, 228
- WHO. *See* World Health Organization
- Whole-cell pertussis vaccines, 79
- Winslow, C. E. A., 4
- Woburn, Massachusetts: cancer cluster in, 73
- Workplace assessment and surveillance, 110, 125
- Workplace competencies, 309–10, 314
- Workplace safety, 15
- World Health Organization, 40, 319; Collaborating Centre for Community Health and Development, 13; *health* defined by, 4; health determinants described by, 217; on HiAP, 277; *maternal mortality* defined by, 137

- Yellow fever: federal quarantine and isolation and, 45; first boards of health and outbreak of, 5
- Yersinia*, 38, 39
- Zika Active Pregnancy Surveillance System, 199
- Zika virus (case study), 196–204; cases of chikungunya and, by week of onset of patient’s illness (Puerto Rico, November 1, 2015–April 14, 2016), 203; demographic characteristics, clinical course, and signs/symptoms (Puerto Rico, November 1, 2015–April 14, 2016), 202; discussion, 200; epidemiologic surveillance, 197–99; municipality of residence (Puerto Rico, November 1, 2015–April 14, 2016), 203; public health response, 199–200; update: ongoing Zika virus transmission (Puerto Rico), 196–97
- Zoonotic diseases: emerging, 195